


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
C		PER ECO-17-001172	26JAN2017	GF	GF



1. ASSEMBLY TO BE 100% TESTED FOR CONTINUITY, SHORTS, AND OPENS, CABLES ASSEMBLYS ARE ALSO TO BE 100% TESTED FOR SIGNAL INTEGRITY, TO SAS 3.0 REQUIREMENTS.

2. ROHS AND REACH COMPLIANCE: PRODUCT AND PROCESSING MEETS REQUIREMENTS OF TE SPECIFICATION TEC-138-702.

3. LABEL CENTERED AND LABEL INFORMATION AS BELOW:




4. SEE SHEET #2 FOR WIRING SCHEMATIC.

1000	+25 -0	2820332-4
700	+25 -0	2820332-3
500	+25 -0	2820332-2
300	+25 -0	2820332-1
"L"[MM]		TE P/N

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	16/JUN/2014	TE Connectivity	
DIMENSIONS:		M.YI	16/JUN/2014		
mm		CHK	G.GUTGOLD		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	G.GUTGOLD		
0 PLC ± -		PRODUCT SPEC		NAME	
1 PLC ± -		APPLICATION SPEC		C/A, INTERNAL HD MINI SAS, STR TO R/A	
2 PLC ± -		WEIGHT	0	100 OHMS, 4X	
3 PLC ± -		CUSTOMER DRAWING		30 AWG	
4 PLC ± -		SCALE	N.T.S.	RESTRICTED TO	
ANGLES ± -		SIZE	A2	CAGE CODE	
FINISH		DRAWING NO	C=2820332	DRAWING NO	
		REV	C	SHEET 1 of 2	

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-



WIRING PATTERN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M.YI 16/JUN/2014	TE Connectivity	
DIMENSIONS: mm		CHK G.GUTGOLD 16/JUN/2014		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD G.GUTGOLD 16/JUN/2014	NAME C/A, INTERNAL HD MINI SAS, STR TO R/A 100 OHMS, 4X 30 AWG	
		PRODUCT SPEC	RESTRICTED TO	
MATERIAL		APPLICATION SPEC	SIZE A2	CAGE CODE 00779
FINISH		WEIGHT 0	DRAWING NO C=2820332	REV C
		CUSTOMER DRAWING	SCALE N.T.S.	SHEET 2 OF 2

2820332